

Bakery Proofing Cabinet

• PRODUCT SPECIFICATIONS SHEETS



Model	MP-11	MP-21
Length	38-5/8"	66-7/8"
Height	88"	88"
Depth without handle	34-1/4"	34-1/4"
Depth with handle	35-1/4"	35-1/4"
# of doors	1	2
Door opening-height	73-1/2"	73-1/2"
Door opening-width	27-1/2"	27-1/2"
Rack Capacity	1	2

(Dimensions are +/-1/4")

• Specification subject to change without notice

Bakery Proofing Cabinet

Standard Specifications and Optional Features

<p>CONSTRUCTION Heavy duty stainless steel front Heavy duty stainless steel door Stainless steel ends 2-1/4" of CFC free foam insulation Durable heavy duty handle, horizontally mounted to minimize damage from bread racks Removable roll-in ramp Stainless steel #3 polish-grain</p>	<p>FINISHES Stainless steel #3 Polished</p>
<p>INTERIOR Stainless steel interior Removable rail guides Heavy gauge stainless steel floor Removable covers over proofer system for easy cleaning and maintenance</p>	<p>PLUMBING <u>DRAIN</u>- 3/8" NPT located in rear approx. 1-1/2" from bottom <u>WATER</u>- 3/8" NPT in upper rear Recommended pressure- 25-40 PSI</p>
<p>EXTERIOR Stainless steel front Removable door for cleaning Controller unit mounted to top for easy access Heavy duty edge mounted hinges Removable front grille for servicing</p>	<p>OPERATING RANGE Temperature range- 70° to 120° F Humidity range- 7-99% RH</p>
<p>ELECTRICAL REQUIREMENTS <i>(2 SOURCES REQUIRED)</i> 208-240V 115V 15 AMP 15 AMP 60 HZ 60 HZ 3 PHASE 1 PHASE</p>	<p>ROLL-IN RACKS MP-11-fits-(1) 18 X 26 X 72 MP-21-fits-(2) 18 X 26 X 72</p>

OPTIONAL FEATURES

Prison package	Door closure
----------------	--------------

Technical Data

Model #	MP-11	MP-21
Length	38-5/8"	66-7/8"
Height	88"	88"
Depth without handle	34-1/4"	34-1/4"
Depth with handle	35-1/4"	35-1/4"
Door Opening-height	73-1/2"	73-1/2"
Door Opening-width (Dimensions are +/- 1/4")	27-1/2"	27-1/2"
Control Panel		
Voltage	115V	115VA
Amp	15A	15A
Hz	60Hz	60Hz
Phase	1Ph	1Ph
Heaters		
Voltage	208-240V	208-240V
Amp	15A	15A
Hz	60Hz	60Hz
Phase	3Ph	3Ph

SHIPPING INFORMATION

Length	43"	71"
Height	92"	92"
Depth	41"	41"
Gross weight	658#	978#
Cubic Feet	82ft ³	153ft ³

- Specification subject to change without notice